


TOUCH UP PAINT KIT INSTRUCTIONS



NOTICE: Use these instructions to touch up paint. Even if familiar with product, read instructions prior to use as improvements may be made without notice. Always handle components with care.

PREPARATION

COMPONENTS

- Paint marker
- Alcohol pad

TOOLS NEEDED

- Protective eyewear
- Rag
- Gloves

NOTE: Hardware appearance and components may vary.

NOTE: For best adhesion, ensure air and surface temperatures are above 60° F.

▲ CAUTION: Before using paint marker, read and understand all directions, warnings and precautions. For more information, visit paint marker manufacturer's website.

▲ DANGER: Highly flammable liquid and vapor. Do not use or store paint marker near fire or flame. Use in well ventilated area. No smoking. Avoid contact with eyes. Do not breathe vapor. Keep out of reach of children. Wear protective gloves and eye/face protection. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause drowsiness or dizziness.

1: TOUCHING UP PAINT

A. Clean impacted area with alcohol pad.



B. Shake paint marker and press down until liquid flows through tip, then paint desired location.



1: TOUCHING UP PAINT (Continued)

C. Gently dab the fresh paint with rag to add texture.



D. Allow paint to dry before using product.

NOTE: Refer to paint marker manufacturers website for dry time.

NOTE: Apply COVER CARE® Cleaners when finished for best results.

E. Repeat Steps B-D until desired outcome is reached.

